

DynaFlex (Gen I) Family Secure Card Reader Authenticator

Quick Installation Guide Setup and Installation

Overview

DynaFlex models are ready to launch your payment environment to the next level. DynaFlex Pro models offer a touchscreen. DynaFlex BCR models offer a barcode reader. All DynaFlex products offer an integrated secure card reader authenticator for magnetic stripe cards, EMV chip cards (contact and contactless), and NFC enabled mobile wallets including Samsung PaySM, Google PayTM, and Apple Pay[®]. DynaFlex Pro offers a color, touchscreen display for added convenience. DynaFlex products are made from molded rubberized black plastic with matching black lens on the face. Custom colors and silkscreened logos are available with a minimum order size.

Major Components





DynaFlex and DynaFlex Pro Major Components Underside

Environmental Notice:

Storage tempertature	14° to 140°F (-10°C to 60°C)
Operating temperature	32°F to 113°F (0°C to 45°C)

Models

PN	Description	Display	Connection(s)
21078007	DYNAFLEX, PCI, NO DISPLAY, BLACK, USB	None	USB-C
21078008	DYNAFLEX, PCI, NO DISPLAY, BLACK, BLUE- Tooth Le	None	USB-C Bluetooth LE
21078009	DYNAFLEX PRO, PCI, TOUCHSCREEN DISPLAY, BLACK, USB	Touchscreen	USB-C
21078010	DYNAFLEX PRO, PCI, TOUCHSCREEN DISPLAY, BLACK, BLUETOOTH LE	Touchscreen	USB-C Bluetooth LE
21078011	DYNAFLEX PRO, PCI, TOUCHSCREEN DISPLAY, BLACK, 802.11 WIRELESS	Touchscreen	USB-C 802.11 Wireless
21078012	DYNAFLEX PRO, PCI, TOUCHSCREEN DISPLAY, BLACK, ETHERNET	Touchscreen	USB-C Ethernet
21078033	DYNAFLEX PRO, PCI, TOUCHSCREEN DISPLAY, BCR, BLACK, USB	Touchscreen	USB
21078031	DYNAFLEX, PCI, NO DISPLAY, BCR, BLACK, USB	None	USB

Mounting / Stability

DynaFlex devices can be used in countertop (traditional brick and mortar), mounted (to a touchscreen, holster, or other solution), or handheld solutions (brought to the table with wireless models only). Each device has three (3) non-slip grip feet for better stability for countertop solutions.

How to Connect to USB Host

Devices connect to a host via the USB-C plug located on the bottom of the device. For best results, use the cable that is included with the device, it includes shielding at both ends of the cable to reduce emissions and interference. Compatible with USB Hosts: Windows 10, Android 4.4.2 and above.

Commands

Devices are designed to connect to a host which sends commands and data back and forth. In any solution, DynaFlex or DynaFlex Pro must be connected to a host with software installed that knows how to communicate with the device and is capable of processing transactions. Follow the installation and configuration instructions provided by the vendor of the host or the host software for use. For development of applications, see the SDKs and APIs on www.magtek.com under support.

Power

- To power on the device, connect it to a USB host. Upon connecting to a Windows 10 host, the display and LEDs turn on briefly, then turn off when Windows suspends the device's USB connection to conserve power. To turn the display and LEDs back on, connect to the device using software on the host (for example, by using the Open Device button in 1000007406 DynaFlex, DynaProx Test Utility, available from MagTek), which signals Windows to resume the USB connection and provide full power to the device.
- To power off the device, disconnect it from the USB host.

Color Touchscreen

DynaFlex Pro's color touchscreen can display a logo or custom messaging and depicts on-screen instructions for insert, tap, or swipe operations. The screen is inset and measures 2.27in. (57.60mm) X 1.70 in. (43.20mm), 320x240 RGB.

Use and Compliance

Accepting Payments

How to Swipe Magnetic Stripe Cards

Locate the swipe path on the face of the device. Orient the card with the magnetic stripe facing away from the cardholder and the touchscreen or contactless landing zone, toward the LEDs and the chip card insertion slot. Swipe the card through the magnetic stripe reader in either direction.

How to Insert EMV Contact Chip Cards

Locate the insertion slot on the face of the device. Orient the chip card so the chip faces the cardholder, toward the touchscreen or contactless landing zone and the LEDs. Insert the chip card into the slot, then push gently on the card until it stops. There should not be any substantial resistance until the chip card is fully inserted. Remove the card when prompted.

How to Tap Contactless Cards / Devices

The device lights the first LED green to indicate it is ready for a tap. Tap the card or electronic payment device on the contactless landing zone, indicated by the EMVCo Contactless Indicator on the device's face. The card or device's antenna* must be centered over the contactless landing zone. The 4 LEDs will light up green and the device may beep (some host software indicators are up to the implementer) and on the touchscreen it shows REMOVE CARD then THANK YOU. Remove the card or electronic payment device from the contactless landing zone.

*NOTE ON ELECTRONIC DEVICES: If the cardholder is using an electronic payment device, such as a smartphone, make sure the payment device has NFC turned ON and has a payment app configured to process transactions. Because each smartphone model may have its NFC antenna placed differently, the ideal tap position may vary by make and model. For example, Samsung users may need to center the phone on the contactless landing zone, while Apple users may need to tap the top of the phone on the contactless landing zone.

How to Read with Barcode Reader

Hold QRcode or barcode approximately 6 inches away from barcode reader.

LEDs

DynaFlex and DynaFlex Pro have 4 LEDs that provide response to the user for Power, Connection, Device Status, and Card Status. The Installation and Operation Manual has a more complete list of light signals.

DynaFlex Payment Acceptance Diagrams

Pro (touchscreen) model shown here



Compliance

FCC INFORMATION voice complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful rence, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment does uses and can radiate radio frequency energy and, it not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: • Received or rotecta the receiving antenna. • Increase the separation between the equipment and receiver. • Connect the equipment in an articular is to which the receiver is connected.

Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help. aution: Changes or modifications not expressly approved by Magfete could void the user's authority to operate this equip

CANADIAN DECLARATION OF CONFORMITY

es not exceed the Class B limits for radio noise from digital apparatus set out in the Radio Interference Regulations of the Canadian Department of Communicati

Canadam Departient or domandatadora: La présent appartein numérique n'émet pas de bruits radioélectriques dépassant les limites applicables aux appareils numériques de la classe B prescrites dans le Réglement sur le brouillage radioélectrique édicé par le ministère des Communications du Canada. This class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conformé à la norme NMB-003 du Canada.

INNOVATION, SCIENCE AND ECONOMIC DEVELOPEMENT CANADA (ISED) This device compiles with ISED Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference including interference. Including interference, including inter

CE STANDARDS Testing for compliance wit established for Class B de with CE requirements was performed by an independent laboratory. The unit under test was found compliant with stand

EU STATEMENT

Hereby, MagTek Inc. declares that the radio equipment types Wideband Transmission System (Wireless LAN and Bluetooth Low Energy), and Non-Specific Short Range Device (contactless) are in compliance with Directive 2014/53/EU. The full text of the EU declarations of conformity is available at the following internet addresses:

https://www.magtek.com/Content/DocumentationFiles/D998200404.pdf for DynaFlex with no display, USB connection
https://www.magtek.com/Content/DocumentationFiles/D998200411.pdf for DynaFlex Pro with USB connection

URCA 511 EVENT Hereby, MagTek Inc. declares that the radio equipment types Wideband Transmission System (Wireless LAN and Bluetooth Low Energy), and Non-Specific Short Range Device (contactless) are in compliance with Radio Equipment Regulations 2017 Directive S.I.2017:1206. The full text of the UKCA declarations of conformity is available at the following internet addresses: https://www.magtek.com/Content/DocumentationFiles/D998200475.pdf for DynaFlex with no display, USB connection

https://www.magtek.com/Content/DocumentationFiles/D998200477.pdf for DynaFlex Pro with USB connection

AUSTRALIA / NEW ZEALAND STATEMENT

AUSIANLAY, NEW ZEALAND SIATEMENT Testing for compliance with 82,VSS standards was performed by a registered and accredited laboratory. The unit under test was found compliant with standards established under AS/NZS CLSPR 32 (2013), AS/NZS 4268 Table 1, Row 59 DTS 2400-2483MHz SRD (802.11), and AS/NZS 4268 (2017) Table 1, and 94 31.553-1345 OFMIX constraints reader).

This product is recognized per UL 60950 1, 2nd Edition, 2011 12 19 (Information Technology Equipment - Safety - Part 1: General Requirements), CSA C22.2 No. 60950 1 07, 2nd Edition, 2011 12 (Information Technology Equipment - Safety - Part 1: General Requirements).

ROHS STATEMENT

RONS STATEMENT When ordered as RoHS compliant, this product meets the Electrical and Electronic Equipment (EEE) Reduction of Hazardous Substances (RoHS) Directive (EU) 2015/963 amending Annex II to Directive 2011/65/EU. The marking is clearly recognizable, either as written words like "Pb-free," "iead-free," as another clear symbol (§).

PCI STATEMENT

PCI Security Standards Council, LLC (*PCI SSC*) has approved this PTS POI device (SCR class) to be compliant with the PCI PTS POI Security Requirements v5.1.

When granted, PCI SSC approval is provided by PCI SSC to ensure certain security and operational characteristics important to the achievement of PCI SSC goals, but PCI SSC approval does not under any circumstances include any endorsement or warranty regarding the functionality, quality or performance of any paticular product or service. Provident SSC approval does not under any circumstances include or imply any product warrantes from PCI SSC, including, without limitation, any implied warrantes or merchantality. Interes for purpose, or non-infingement, all of which are expressly disclaimed by PCI SSC. If register and any encourse and by PCI SSC. In the services which have received PCI SSC approval shall be provided by the party products or services, providing such products or services. ing products



MagTek® Inc., 1710 Apollo Court, Seal Beach CA 90740 | p 562-546-6400 | support 562-546-6800 | f 562-546-6301 | www.magtek.com

Please note that the use of this accessory with an Apple product may affect wireless performance. Apple Paye, OS X&: iPhone®. iPad Air®. iPad Air®. iPad Air®. iPad Pro®, Lightning®, and Mac® are trademarks of Apple Inc., registered in the U.S. and other countries EMW is a registered trademark in the U.S. and other countries and an unregistered trademark elsewhere. The EMV trademark is owned by EMVCo, LLC. The Contactless Indicator mark, consisting of four graduating arcs, is a trademark owned by and used with permission of EMVCo, LLC.